

Philips V Line Monitor LCD Full HD 273V7QDAB/00

Marchio : Philips Famiglia del prodotto: V Line Codice prodotto: 273V7QDAB/00

Nome del prodotto : Monitor LCD Full HD 273V7QDAB/00

273V7QDAB Monitor LCD Full HD

Philips V Line Monitor LCD Full HD 273V7QDAB/00:

Un fantastico e versatile display che trasmette immagini straordinarie a tutto schermo. Pensato per i tuoi occhi, in un design sottile e compatto. Philips V Line Monitor LCD Full HD 273V7QDAB/00. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Superficie display: Opaco, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Montaggio standard VESA. Colore del prodotto: Nero



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot type	Kensington
Display resolution *	1920 x 1080 pixels	Height adjustment *	✗
HD type *	Full HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 20°
Display technology *	LED	On Screen Display (OSD)	✓
Panel type *	IPS	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Backlight type	W-LED		
Touchscreen *	✗	Plug and Play	✓
Display brightness (typical)	250 cd/m²	LED indicators	Operation, Stand-by
Response time *	4 ms	Power	
Display surface	Matt	Energy efficiency class (SDR) *	E
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	21 kWh
Screen shape *	Flat	Power consumption (typical) *	15.4 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (standby) *	0.5 W
Supported video modes	1080p	Power consumption (off)	0.3 W
Aspect ratio	16:9	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50 - 60 Hz
Contrast ratio (dynamic)	10000000:1	Power supply type	Internal
Dynamic contrast ratio marketing name	SmartContrast	Energy efficiency scale	A to G
Maximum refresh rate *	75 Hz	European Product Registry for Energy Labelling (EPREL) code	401604
Viewing angle, horizontal	178°	Operational conditions	
Viewing angle, vertical	178°	Operating temperature (T-T)	0 - 40 °C
Display number of colours *	16.7 million colours	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.311 x 0.311 mm		
Pixel density	82 ppi		
Horizontal scan range	30 - 83 kHz		
Vertical scan range	56 - 76 Hz		
Viewable size, horizontal	59.8 cm		

Display		Operational conditions	
Viewable size, vertical	33.6 cm	Operating relative humidity (H-H)	20 - 80%
Digital horizontal frequency	30 - 83 kHz	Operating altitude	0 - 3658 m
Digital vertical frequency	56 - 76 Hz	Non-operating altitude	0 - 12192 m
Display diagonal (metric)	68.6 cm	Weight & dimensions	
DDC/CI	✓	Width (with stand)	613 mm
Haze rate	25%	Depth (with stand)	227 mm
Surface hardness	3H	Height (with stand)	454 mm
Colour gamut standard	sRGB	Weight (with stand)	4.23 kg
3D	✗	Width (without stand)	613 mm
Display sRGB	✓	Depth (without stand)	45 mm
Performance		Height (without stand)	368 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Weight (without stand)	3.74 kg
Flicker-free technology	✓	Packaging data	
Low Blue Light technology	✓	Package width	664 mm
Multimedia		Package depth	134 mm
Number of speakers	2	Package height	452 mm
RMS rated power	4 W	Package weight	6.2 kg
Built-in speaker(s) *	✓	Package type	Box
Built-in camera *	✗	Packaging content	
Design		Stand included	✓
Market positioning *	Home	Cables included	HDMI, AC
Product colour *	Black	Manual	✓
Ports & interfaces		Other features	
Built-in USB hub *	✗	On/off switch	✓
VGA (D-Sub) ports quantity	1	TV tuner integrated	✗
DVI port	✓	Exterior finish type	Textured
DVI-D ports quantity	1	Recommended resolution	1920 x 1080 @ 60 Hz
HDMI *	✓	Picture enhancement	SmartImage
HDMI ports quantity	1	Recyclable packaging material	100%
Audio input	✗	Regulatory Approvals	CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off
Headphone out *	✓		
Headphone outputs	1		
PC Audio in	✓	Heavy metals free	Hg (mercury)
HDCP	✓	LowBlue mode	✓
Ergonomics		Compliance certificates	RoHS, WEEE
VESA mounting *	✓	Mean time between failures (MTBF)	50000 h
Panel mounting interface	100 x 100 mm	Certification	CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light cut-off
Cable lock slot *	✓		
Logistics data			
		Harmonized System (HS) code	85285210



8712581742980



4058154223031

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-MAR-2025. Prints or copies of Information are only valid on the printed Publication date