

Philips V Line Monitor LCD Full HD 273V7QDSB/00

Marchio : Philips Famiglia del prodotto: V Line Codice prodotto: 273V7QDSB/00

Nome del prodotto : Monitor LCD Full HD 273V7QDSB/00

273V7QDSB Monitor LCD Full HD

Philips V Line Monitor LCD Full HD 273V7QDSB/00:

Un fantastico e versatile display che trasmette immagini straordinarie a tutto schermo. Pensato per i tuoi occhi, in un design sottile e compatto.
Philips V Line Monitor LCD Full HD 273V7QDSB/00. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Superficie display: Opaco, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Montaggio standard VESA. Colore del prodotto: Nero




Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Height adjustment *	✗
Display resolution *	1920 x 1080 pixels	Tilt adjustment	✓
HD type *	Full HD	Tilt angle range	-5 - 20°
Native aspect ratio *	16:9	On Screen Display (OSD)	✓
Display technology *	LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Panel type *	IPS		
Backlight type	W-LED	Plug and Play	✓
Touchscreen *	✗	LED indicators	Operation, Stand-by
Display brightness (typical)	250 cd/m²	Power	
Response time *	4 ms	Energy efficiency class (SDR) *	E
Display surface	Matt	Energy consumption (SDR) per 1000 hours *	21 kWh
Anti-glare screen	✓	Power consumption (typical) *	15.4 W
Screen shape *	Flat	Power consumption (standby) *	0.5 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (off)	0.3 W
Supported video modes	1080p	AC input voltage	100 - 240 V
Aspect ratio	16:9	AC input frequency	50 - 60 Hz
Contrast ratio (typical) *	1000:1	Power supply type	Internal
Contrast ratio (dynamic)	10000000:1	Energy efficiency scale	A to G
Dynamic contrast ratio marketing name	SmartContrast	European Product Registry for Energy Labelling (EPREL) code	413360
Maximum refresh rate *	75 Hz	Operational conditions	
Viewing angle, horizontal	178°	Operating temperature (T-T)	0 - 40 °C
Viewing angle, vertical	178°	Storage temperature (T-T)	-20 - 60 °C
Display number of colours *	16.7 million colours	Operating relative humidity (H-H)	20 - 80%
Pixel pitch	0.311 x 0.311 mm		
Pixel density	82 ppi		
Horizontal scan range	30 - 83 kHz		
Vertical scan range	56 - 76 Hz		
Viewable size, horizontal	59.8 cm		

Display		Operational conditions	
Viewable size, vertical	33.6 cm	Operating altitude	0 - 3658 m
Digital horizontal frequency	30 - 83 kHz	Non-operating altitude	0 - 12192 m
Digital vertical frequency	56 - 76 Hz	Weight & dimensions	
Display diagonal (metric)	68.6 cm	Width (with stand)	613 mm
DDC/CI	✓	Depth (with stand)	227 mm
Haze rate	25%	Height (with stand)	454 mm
Surface hardness	3H	Weight (with stand)	4.15 kg
Colour gamut standard	sRGB	Width (without stand)	613 mm
3D	✗	Depth (without stand)	45 mm
Display sRGB	✓	Height (without stand)	368 mm
Performance		Weight (without stand)	3.66 kg
Component video sync	Separate sync, Sync-on-green (SOG)	Packaging data	
Flicker-free technology	✓	Package width	664 mm
Low Blue Light technology	✓	Package depth	134 mm
Multimedia		Package height	452 mm
Built-in speaker(s) *	✗	Package weight	6.07 kg
Built-in camera *	✗	Package type	Box
Design		Packaging content	
Market positioning *	Home	Stand included	✓
Product colour *	Black	Cables included	HDMI, AC
Ports & interfaces		Manual	✓
Built-in USB hub *	✗	Other features	
VGA (D-Sub) ports quantity	1	On/off switch	✓
DVI port	✓	TV tuner integrated	✗
DVI-D ports quantity	1	Exterior finish type	Textured
HDMI *	✓	Recommended resolution	1920 x 1080 @ 60 Hz
HDMI ports quantity	1	Picture enhancement	SmartImage
Audio input	✗	Recyclable packaging material	100%
Audio output	✓	Regulatory Approvals	CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; VCCI; CECP; TUV Cert. — blue light cut-off
Headphone out *	✗		
HDCP	✓		
Ergonomics		Heavy metals free	Hg (mercury)
VESA mounting *	✓	LowBlue mode	✓
Panel mounting interface	100 x 100 mm	Compliance certificates	RoHS, WEEE
Cable lock slot *	✓	Mean time between failures (MTBF)	50000 h
Cable lock slot type	Kensington	Certification	CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, VCCI, CECP, TUV Cert. — blue light cut-off
		Logistics data	
		Harmonized System (HS) code	85285210



8712581742911



8701258107429

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-MAR-2025. Prints or copies of Information are only valid on the printed Publication date