

Philips 279C9/00 Monitor PC 68,6 cm (27") 3840 x 2160 Pixel 4K Ultra HD LED Nero

Marchio : Philips

Codice prodotto: 279C9/00

Nome del prodotto : 279C9/00

Monitor 279C9 Monitor LCD con dock USB-C

Philips 279C9/00 Monitor PC 68,6 cm (27") 3840 x 2160 Pixel 4K Ultra HD LED Nero:

Il pluripremiato monitor Philips offre immagini 4K nitide e realistiche con certificazione DisplayHDR 400. Dotato di tutte le porte, di un unico cavo USB-C e di un semplice sistema di gestione dei cavi per una configurazione pulita. Base SmartErgo per regolazioni ergonomiche.

Philips 279C9/00. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 3840 x 2160 Pixel, Tipologia HD: 4K Ultra HD, Tecnologia display: LED, Superficie display: Opaco, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 2 (3.1 Gen 2). Montaggio standard VESA. Colore del prodotto: Nero



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Swivel angle range	-175 - 175°
Display resolution *	3840 x 2160 pixels	Tilt angle range	-5 - 20°
HD type *	4K Ultra HD	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Native aspect ratio *	16:9		
Display technology *	LED		
Panel type *	IPS		
Backlight type	W-LED	Plug and Play	✓
Touchscreen *	✗	LED indicators	Operation, Stand-by
Display brightness (typical)	400 cd/m²	Power	
Response time *	5 ms	Energy efficiency class (SDR) *	G
Display surface	Matt	Energy efficiency class (HDR) *	G
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	31 kWh
Screen shape *	Flat	Energy consumption (HDR) per 1000 hours *	31 kWh
Supported graphics resolutions	3840 x 2160	Power consumption (typical) *	25.72 W
Supported video modes	2160p	Power consumption (standby) *	0.5 W
Aspect ratio	16:9	Power consumption (off)	0.3 W
Contrast ratio (typical) *	1300:1	AC input voltage	100 - 240 V
Maximum refresh rate *	60 Hz	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Power supply type	External
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours *	1.07 billion colours	European Product Registry for Energy Labelling (EPREL) code	386874
Pixel pitch	0.1554 x 0.1554 mm	Operational conditions	
Pixel density	163 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 140 kHz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	59.7 cm	Operating relative humidity (H-H)	20 - 80%
Viewable size, vertical	33.6 cm		
Digital horizontal frequency	30 - 140 kHz		
Display diagonal (metric)	68.47 cm		

Display		Operational conditions	
High Dynamic Range (HDR) technology	DisplayHDR 400	Operating altitude	0 - 3658 m
DDC/CI	✓	Non-operating altitude	0 - 12192 m
Haze rate	25%	Weight & dimensions	
Surface hardness	3H	Width (with stand)	612 mm
Colour gamut standard	sRGB	Depth (with stand)	218 mm
Colour gamut	90.7%	Height (with stand)	527 mm
sRGB coverage (typical)	109%	Weight (with stand)	5.85 kg
NTSC coverage (typical)	90.7%	Width (without stand)	612 mm
Display sRGB	✓	Depth (without stand)	39 mm
Performance		Height (without stand)	353 mm
AMD FreeSync *	✓	Weight (without stand)	4.25 kg
Component video sync	Separate sync	Packaging data	
Flicker-free technology	✓	Package width	680 mm
Low Blue Light technology	✓	Package depth	150 mm
Multimedia		Package height	545 mm
Built-in speaker(s) *	✗	Package weight	8.41 kg
Built-in camera *	✗	Package type	Box
Design		Packaging content	
Product colour *	Black	Stand included	✓
Ports & interfaces		Cables included	HDMI, DisplayPort, USB Type-C, AC
Built-in USB hub *	✓	Manual	✓
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Bundled software	SmartControl
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	
USB Power Delivery (USB PD)	✓	Sustainability certificates	ENERGY STAR, TCO
USB Power Delivery up to	65 W	Doesn't contain	Mercury, PVC/BFR
DVI port	✗	Other features	
HDMI *	✓	USB Power Delivery revision	3.0
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	2.0	Picture enhancement	SmartImage game
DisplayPorts quantity	1	Recyclable packaging material	100%
DisplayPort version	1.4	Regulatory Approvals	CB; FCC Class B; ICES-003; CE Mark; TUV/ISO9241-307; TUV-BAUART; CU-EAC; EAEU RoHS; UKRAINIAN; CCC; CECF; CEL
Audio input	✗	Delta E	2
Headphone out *	✓	EasyRead mode	✓
Ergonomics		LowBlue mode	✓
VESA mounting *	✓	Compliance certificates	RoHS
Panel mounting interface	100 x 100 mm	Mean time between failures (MTBF)	50000 h
Cable lock slot *	✓	Certification	CB, FCC Class B, ICES-003, CE Mark, TUV/ISO9241-307, TUV-BAUART, CU-EAC, EAEU RoHS, UKRAINIAN, CCC, CECF, CEL
Cable lock slot type	Kensington	Logistics data	
Adjustable height (max)	13 cm	Harmonized System (HS) code	85285210
Pivot angle	90 - 90°		



8712581765743

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-MAR-2025. Prints or copies of Information are only valid on the printed Publication date