PHILIPS

Philips V Line 271V8LA/00 LED display 68,6 cm (27") 1920 x 1080 Pixel Full HD Nero

Marchio: Philips Famiglia del prodotto: V Line Codice prodotto: 271V8LA/00

Nome del prodotto:

271V8LA/00

271V8LA Monitor LCD

Philips V Line 271V8LA/00 LED display 68,6 cm (27") 1920 x 1080 Pixel Full HD Nero:

Il monitor Philips V-Line con ampio angolo di visualizzazione offre una visione oltre ogni limite, una qualità elevata e funzioni essenziali. La sincronizzazione adattiva assicura una visualizzazione video fluida. Caratteristiche quali antiriflesso, modalità LowBlue e immagini prive di sfarfallio non affaticano gli occhi.

Philips V Line 271V8LA/00. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Superficie display: Opaco, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Montaggio standard VESA. Colore del prodotto: Nero





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	On Screen Display (OSD)	1
Display resolution * HD type * Native aspect ratio * Display technology * Panel type *	1920 x 1080 pixels Full HD 16:9 LED VA	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Backlight type	W-LED	Number of OSD languages	21
Touchscreen *	×	Plug and Play	✓
Display brightness (typical)	250 cd/m ²	LED indicators	Operation, Stand-by
Response time *	4 ms	Power	
Display surface	Matt	Energy efficiency class (SDR) *	E
Anti-glare screen Screen shape *	✓ Flat	Energy consumption (SDR) per 1000 hours *) 21 kWh
Aspect ratio	16:9	Power consumption (typical) *	23.3 W
Contrast ratio (typical) *	3000:1	Power consumption (standby) *	0.3 W
Maximum refresh rate *	75 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.7 million colours	Power supply type	Internal
Pixel pitch	0.3114 x 0.3114 mm	Energy efficiency scale	A to G
Pixel density Horizontal scan range	82 ppi 30 - 85 kHz	European Product Registry for Energy Labelling (EPREL) code	400145
Vertical scan range	48 - 75 Hz	Operational conditions	
Viewable size, horizontal 59.8 cm Viewable size, vertical 33.6 cm Digital horizontal frequency 30 - 85 kHz Digital vertical frequency 48 - 75 Hz Display diagonal (metric) 68.6 cm	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 20 - 80% 0 - 3658 m 0 - 12192 m	
DDC/CI	√	Weight & dimensions	
Haze rate Surface hardness	25% 3H	Width (with stand)	613 mm

Display		Weight & dimensions	
Display sRGB	✓	Depth (with stand)	231 mm
Performance		Height (with stand)	456 mm
NVIDIA G-SYNC *	×	Weight (with stand)	3.96 kg
AMD FreeSync *	×	Width (without stand) Depth (without stand)	613 mm 45 mm
VESA Adaptive Sync support	1	Height (without stand)	363 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Weight (without stand)	3.5 kg
Flicker-free technology	√	Packaging data	
Low Blue Light technology	1	Package width	730 mm
Multimedia		Package depth	123 mm 446 mm
	2	Package height Package weight	5.55 kg
Number of speakers RMS rated power	4 W	Package type	Box
Built-in speaker(s) *	· · ·	Packaging content	
Built-in camera *	×	Stand included	✓
Design		Cables included	HDMI, AC
Market positioning *	Home	Manual	✓
Product colour *	Black	Other features	
Ports & interfaces	J.ac.	Exterior finish type	Textured
		Picture enhancement	SmartImage
Built-in USB hub * VGA (D-Sub) ports quantity	x 1	Recyclable packaging material	100%
DVI port	×	Regulatory Approvals	UKRAINIAN; CB; TUV Ergo; TUV/GS; EAEU RoHS; CU-EAC; CE Mark
HDMI *	✓	Heavy metals free	Hg (mercury)
HDMI ports quantity	1	EasyRead mode	✓
Audio output	✓	LowBlue mode	✓
Ergonomics		Compliance certificates	RoHS
VESA mounting *	✓	Mean time between failures (MTBF)	50000 h
Panel mounting interface	100 x 100 mm	Certification	UKRAINIAN, CB, TUV Ergo, TUV/GS, EAEU RoHS, CU-EAC, CE Mark
Cable lock slot *	✓	l anistica data	EALO NOTIO, CO-LAC, CL Mark
Cable lock slot type	Kensington	Logistics data	05205210
Height adjustment *	X	Harmonized System (HS) code	85285210
Tilt adjustment	✓		
Tilt angle range	-5 - 20°		



8712581772086

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.