

Philips S Line 275S9JAL/00 Monitor PC 68,6 cm (27") 2560 x 1440 Pixel Quad HD LCD Nero

Marchio : Philips Famiglia del prodotto: S Line Codice prodotto: 275S9JAL/00

Nome del prodotto : 275S9JAL/00

Business Monitor 275S9JAL Monitor LCD

Philips S Line 275S9JAL/00 Monitor PC 68,6 cm (27") 2560 x 1440 Pixel Quad HD LCD Nero:

Il nostro monitor S Line favorisce l'efficienza aziendale. Funzionalità come la modalità LowBlue e l'assenza di sfarfallio sono le soluzioni ideali per lavorare senza affaticare gli occhi. Philips S Line 275S9JAL/00. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: Quad HD, Tecnologia display: LCD, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA. Colore del prodotto: Nero



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	AC (power) in	✓
Display resolution *	2560 x 1440 pixels	Ergonomics	
HD type *	Quad HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable lock slot *	✓
Panel type *	VA	Cable lock slot type	Kensington
Backlight type	W-LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 25°
Display brightness (typical)	300 cd/m²	On Screen Display (OSD)	✓
Response time *	4 ms	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Anti-glare screen	✓		
Screen shape *	Flat		
Supported graphics resolutions	2560 x 1440	Plug and Play	✓
Contrast ratio (typical) *	4000:1	LED indicators	Operation, Stand-by
Contrast ratio (dynamic)	50000000:1	Power	
Dynamic contrast ratio marketing name	SmartContrast	Energy efficiency class (SDR) *	F
Maximum refresh rate *	75 Hz	Energy consumption (SDR) per 1000 hours *	26 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	17.9 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	16.7 million colours	Power consumption (off)	0.3 W
Pixel pitch	0.2331 x 0.2331 mm	Power consumption (PowerSave)	15.1 W
Pixel density	108.79 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 114 kHz	AC input frequency	50 - 60 Hz
Vertical scan range	48 - 75 Hz	Power supply type	Internal
Viewable size, horizontal	59.7 cm	Energy efficiency scale	A to G
Viewable size, vertical	33.6 cm		
Display diagonal (metric)	68.5 cm		
DDC/CI	✓		

Display		Power	
Haze rate	25%	European Product Registry for Energy Labelling (EPREL) code	1289778
Surface hardness	3H	Operational conditions	
Colour depth	8 bit	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	119%	Storage temperature (T-T)	-20 - 60 °C
NTSC coverage (typical)	97%	Operating relative humidity (H-H)	20 - 80%
Display sRGB	✓	Operating altitude	0 - 3658 m
Performance		Non-operating altitude	0 - 12192 m
NVIDIA G-SYNC *	✗	Weight & dimensions	
AMD FreeSync *	✗	Width (with stand)	614 mm
Fast charging	✓	Depth (with stand)	226 mm
VESA Adaptive Sync support	✓	Height (with stand)	477 mm
Component video sync	Separate sync	Weight (with stand)	5.1 kg
Flicker-free technology	✓	Width (without stand)	614 mm
Low Blue Light technology	✓	Depth (without stand)	55 mm
Multimedia		Height (without stand)	367 mm
Number of speakers	2	Weight (without stand)	4.46 kg
RMS rated power	4 W	Packaging data	
Built-in speaker(s) *	✓	Package width	690 mm
Built-in camera *	✗	Package depth	141 mm
Design		Package height	453 mm
Product colour *	Black	Package weight	7 kg
Frameless design	✓	Packaging content	
Front bezel colour	Black	Stand included	✓
Feet colour	Black	Cables included	HDMI, AC
Ports & interfaces		Manual	✓
Built-in USB hub *	✓	Bundled software	SmartControl
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
USB upstream port type	USB Type-B	Sustainability certificates	ENERGY STAR, TCO
Number of upstream ports	1	Doesn't contain	Mercury, PVC/BFR
Number of USB Type-B upstream ports quantity	1	Other features	
USB Type-A downstream ports quantity	2	Exterior finish type	Textured
HDMI *	✓	Picture enhancement	SmartImage
HDMI ports quantity	1	Recyclable packaging material	100%
HDMI version	1.4	Regulatory Approvals	CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV Ergo; TUV/GS
DisplayPorts quantity	1	EasyRead mode	✓
DisplayPort version	1.2	LowBlue mode	✓
Audio output	✓	Compliance certificates	RoHS
HDCP	✓	Mean time between failures (MTBF)	70000 h
HDCP version	1.4	Recycling data	
		Post-consumer recycled plastic	85%



8712581796402

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-MAR-2025. Prints or copies of Information are only valid on the printed Publication date