

## Brother MFC-L5710DW stampante multifunzione Laser A4 1200 x 1200 DPI 48 ppm Wi-Fi

**Marchio :** Brother

**Codice prodotto:** MFC-L5710DW

**Nome del prodotto :** MFC-L5710DW

Stampa e scansione fronte-retro ad alta velocità e di elevata qualità. 48 ppm. Display touch 8.9 cm. WiFi. Toner inbox 3.000 pagine. Toner opzionale fino a 11.000 pagine.

**Brother MFC-L5710DW stampante multifunzione Laser A4 1200 x 1200 DPI 48 ppm Wi-Fi:**

Produttività elevata grazie a stampa e scansione wireless veloci e di elevata qualità. Creata per le aziende, questa intelligente stampante multifunzione è progettata per offrire un'esperienza professionale intuitiva.

Potenzia ulteriormente questa stampante con le soluzioni Brother e di terze parti

Display LCD touchscreen a colori da 8,9 cm

Memoria interna da 512 MB

Toner da 3.000 pagine in dotazione, toner opzionale fino a 11.000 pagine<sup>7</sup>

Compatibile con soluzioni Brother e di terze parti<sup>19</sup>

Disponibile con contratto di servizi di stampa gestita (MPS)



Printing		Ports & interfaces	
Duplex printing mode	Auto	USB connector	USB Type-A / USB Type-B
Print technology *	Laser	<b>Network</b>	
Printing *	Mono printing	Wi-Fi *	✓
Duplex printing *	✓	Ethernet LAN *	✓
Maximum resolution *	1200 x 1200 DPI	Cabling technology	10/100/1000Base-T(X)
Print speed (black, normal quality, A4/US Letter) *	48 ppm	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first page (black, normal)	6.7 s	Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP
<b>Copying</b>		Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SMTP Client, LDAP, IMAP4, Syslog
Duplex copying *	✓	Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, Sntp Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog
Duplex copying mode	Auto	<b>Performance</b>	
Copying *	Mono copying	Internal memory *	512 MB
Maximum copy resolution *	1200 x 600 DPI	Sound pressure level (printing)	54 dB
Time to first copy (black, normal)	8.7 s		
Maximum number of copies	999 copies		
Copier resize	25 - 400%		
<b>Scanning</b>			
Duplex scanning *	✓		
Duplex scanning mode	Auto		
Scanning *	Colour scanning		
Optical scanning resolution *	1200 x 1200 DPI		
Scanner type *	ADF scanner		
Scan speed (colour)	21 ppm		
Input colour depth	48 bit		
Output colour depth	16 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Scan drivers	TWAIN, WIA		


<b>Fax</b>		<b>Design</b>	
Duplex faxing	✓	Product colour *	Black, White
Faxing *	Mono faxing	Market positioning *	Home & office
Modem speed	33.6 Kbit/s	Built-in display *	✓
Fax memory	500 pages	Display	TFT
Auto-redialing	✓	Display diagonal	8.89 cm (3.5")
<b>Features</b>		Control type	Touch
Duplex functions *	Copy, Fax, Print, Scan	Colour display	✓
Number of print cartridges *	1	<b>Power</b>	
Printing colours *	Black	Power consumption (printing)	670 W
Page description languages	PDF, BR-Script 3, PCL 6, XPS	Power consumption (copying)	680 W
Country of origin	Vietnam	Power consumption (ready)	31 W
<b>Input &amp; output capacity</b>		Power consumption (sleep)	5.9 W
Total number of input trays *	1	Power consumption (off)	0.05 W
Total input capacity *	250 sheets	AC input voltage	220 - 240 V
Total output capacity *	150 sheets	AC input frequency	50/60 Hz
Auto document feeder (ADF)	✓	<b>System requirements</b>	
Maximum input capacity	1390 sheets	Windows operating systems supported	Windows 10, Windows 11
<b>Paper handling</b>		<b>Operational conditions</b>	
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	20 - 80%
Paper tray media types *	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Postcard, Recycled paper, Thick paper, Thin paper	Storage temperature (T-T)	0 - 40 °C
ISO A-series sizes (A0...A9) *	A4, A5	Operating temperature (T-T)	10 - 32.5 °C
Non-ISO print media sizes	Executive, Folio, Legal, Letter	Storage relative humidity (H-H)	35 - 85%
JIS B-series sizes (B0...B9)	B5	<b>Weight &amp; dimensions</b>	
Envelopes sizes	C5, Com-10, DL, Monarch	Width	497 mm
Paper tray media weight	60 - 230 g/m <sup>2</sup>	Depth	580 mm
<b>Ports &amp; interfaces</b>		Height	549 mm
USB port	✓	Weight	16.8 kg
		<b>Packaging data</b>	
		Package weight	20 kg
		<b>Logistics data</b>	
		Pallet gross height	18.9 cm
		Pallet gross weight	258.3 kg
		Master (outer) cases per pallet	12 pc(s)
		Layers per pallet	3 pc(s)
		Products per pallet	12 pc(s)
		<b>Technical details</b>	
		Master (outer) cases per pallet layer	4 pc(s)
		Pallet type	1200 x 1000 mm



4977766824644



0012502670612



012502670612

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.