PHILIPS

Philips Evnia 8000 49M2C8900/00 Monitor PC 124,2 cm (48.9") 5120 x 1440 Pixel Dual QHD QD-OLED Bianco

Marchio: Philips Famiglia del prodotto: Evnia Codice prodotto: 49M2C8900/00

Nome del prodotto:

49M2C8900/00

Gaming Monitor 49M2C8900 Monitor per giochi QD OLED

Philips Evnia 8000 49M2C8900/00 Monitor PC 124,2 cm (48.9") 5120 x 1440 Pixel Dual QHD QD-OLED Bianco:

Migliora la tua esperienza di gioco con l'incredibile display QD OLED a contrasto di questo monitor, lo schermo curvo SuperWide 32:9 e l'esclusiva funzione Ambiglow per creare nella tua stanza l'atmosfera giusta per ogni gioco.

Philips Evnia 8000 49M2C8900/00. Dimensioni diagonale schermo: 124,2 cm (48.9"), Risoluzione del display: 5120 x 1440 Pixel, Tipologia HD: Dual QHD, Tecnologia display: QD-OLED, Tempo di risposta: 0,03 ms, Rapporto d'aspetto nativo: 32:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Bianco





Display		Ports & interfaces	
Display diagonal *	124.2 cm (48.9")	HDCP	✓
Display resolution *	5120 x 1440 pixels	HDCP version	1.4/2.2/2.3
HD type *	Dual QHD	Ergonomics	
Native aspect ratio *	32:9		
Display technology *	QD-OLED	VESA mounting *	✓
Panel type *	OLED	Panel mounting interface	100 x 100 mm
Touchscreen *	×	Cable lock slot *	1
Display brightness (peak)	1000 cd/m²	Cable lock slot type	Kensington
Display brightness (typical)	250 cd/m ²	Height adjustment *	✓
Response time *	0.03 ms	Adjustable height (max)	12 cm
Anti-glare screen	✓	Swivelling	✓
Screen shape *	Curved	Swivel angle range	-20 - 20°
Screen curvature rating	1800R	Tilt angle range	-5 - 15°
Contrast ratio (typical) *	1500000:1	Picture-in-Picture	✓
Dynamic contrast ratio marketing name	Mega Infinity DCR	On Screen Display (OSD)	✓
Maximum refresh rate *	240 Hz		Simplified Chinese, Traditional Chinese, Czech, German, Dutch,
Viewing angle, horizontal	178°	On Screen Display (OSD) languages	English, Spanish, Finnish, French,
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Greek, Hungarian, Italian, Japanese,
Display number of colours *	1.07 billion colours		Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Pixel pitch	0.233 x 0.233 mm	Number of OSD languages	21
Pixel density	108.77 ppi	Plug and Play	<i>'</i>
Horizontal scan range	30 - 388 kHz	LED indicators	Operation, Stand-by
Vertical scan range	48 - 240 Hz		operation, Stand-by
Viewable size, horizontal	119.7 cm	Power	
Viewable size, vertical	33.9 cm	Energy efficiency class (SDR) *	G
Display diagonal (metric)	124.3 cm	Energy efficiency class (HDR) *	G
High Dynamic Range (HDR) supported	✓	Energy consumption (SDR) per 1000 hours *	65 kWh
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black	Energy consumption (HDR) per 1000 hours *	85 kWh
DDC/CI	✓	Power consumption (typical) *	163.35 W
Haze rate	25%	Power consumption (standby) *	0.5 W
Surface hardness	2H	Power consumption (off)	0.3 W
Colour depth	10 bit	AC input voltage	100 - 240 V
Colour gamut standard	DCI-P3	AC input frequency	50/60 Hz
Colour gamut	99%	Power supply type	Internal
•			

Display		Power	
sRGB coverage (typical)	153.1%	Energy efficiency scale	A to G
NTSC coverage (typical)	127.4%	European Product Registry for Energy Labelling (EPREL) code	1644071
Adobe RGB coverage	125.2%		
DCI-P3 coverage	99% ✓	Operational conditions	
Display sRGB	•	Operating temperature (T-T)	0 - 40 °C
Performance		Storage temperature (T-T)	-20 - 60 °C 20 - 80%
NVIDIA G-SYNC *	✓	Operating relative humidity (H-H) Operating altitude	0 - 3658 m
NVIDIA G-SYNC type	G-SYNC Compatible	Non-operating altitude	3658 - 12192 m
AMD FreeSync *	✓	, ,	
AMD FreeSync type	FreeSync Premium Pro	Weight & dimensions	1105
Ambient lighting type	3-sided	Width (with stand) Depth (with stand)	1195 mm 359 mm
Fast charging		Height (with stand)	544 mm
Fast charging technology	Power Delivery 3.0	Weight (with stand)	14 kg
VESA Adaptive Sync support	•	Width (without stand)	1195 mm
Component video sync	Separate sync	Depth (without stand)	181 mm
Flicker-free technology	1	Height (without stand)	369 mm
Low Blue Light technology	1	Weight (without stand)	10.8 kg
Multimedia		Packaging data	
Number of speakers	4	Package width	1290 mm
RMS rated power	30 W	Package depth	475 mm
Built-in speaker(s) *	✓	Package height	300 mm
Audio decoders	DTS	Package weight	19.4 kg
Built-in camera *	×	Packaging content	
Design		Stand included	✓
Market positioning * Product colour *	Gaming White	Cables included	AC, DisplayPort, HDMI, USB, USB Type-C to USB Type-C
Ports & interfaces		Manual	✓
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance	1
USB upstream port type	USB Type-B	Doesn't contain	Mercury, PVC/BFR
Number of upstream ports	1	Other features	, ·
Number of USB Type-B upstream	1		
ports quantity	•	Low input lag	Mac OC V Windows 11/10/0 1/0
USB Type-A downstream ports quantity	4	Compatible operating systems Picture-by-Picture (PbP)	Mac OS X Windows 11/10/8.1/8 ✓
USB Type-C DisplayPort Alternate Mode	✓	Exterior finish type	Textured
USB Power Delivery (USB PD)	1	Picture enhancement	SmartImage game
USB Power Delivery up to	90 W	Sound enhancement technology	DTS Sound
HDMI *	✓ · · · · · · · · · · · · · · · · · · ·	Recyclable packaging material	100%
HDMI ports quantity	2	Dogulaton, Appresiala	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS;
HDMI version	2.1	Regulatory Approvals	TUV/ISO9241-307; TUV-BAUART;
DisplayPorts quantity	1	Heavy metals free	CETLus
DisplayPort version	1.4	•	Hg (mercury) 7.5 W x 2 tweeters, 7.5 W x 2
Headphone out *	✓	Speakers	woofers with flow port
Built-in KVM switch	✓	Delta E	2
		EasyRead mode	✓
		LowBlue mode	✓
		Compliance certificates	RoHS
		Mean time between failures (MTBF)	30000 h



8712581801663

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.