## AOC P2 Q24P2Q LED display 60,5 cm (23.8") 2560 x 1440 Pixel Quad HD Nero

Marchio : AOC

Famiglia del prodotto: P2

Codice prodotto: Q24P2Q

Nome del prodotto : Q24P2Q

Screen size (inch) 23.8, Panel resolution 2560x1440, Refresh rate 75 Hz, Panel type IPS, HDMI HDMI 1.4 x 1, Display Port DisplayPort 1.2 x 1, D-SUB (VGA) 1x

AOC P2 Q24P2Q LED display 60,5 cm (23.8") 2560 x 1440 Pixel Quad HD Nero:

## Qualità delle immagini superiore e ricche funzionalità per la produttività in un display QHD da 23,8"

Il Q24P2Q offre ai professionisti una vasta gamma di funzioni utili per ottenere il massimo da ogni giornata lavorativa. Dotato di un pannello piatto IPS/3FL da 23,8" con risoluzione QHD, presenta un design senza cornice su 3 lati, con ampi angoli di visione di 178°/178°. Inclinabile, orientabile e regolabile in altezza, include un hub USB 3.2 e offre un comfort ergonomico e funzioni a tutela della vista degli utenti, come la modalità LowBlue e la tecnologia Flicker-Free.






| Display                        |  | Ports & interfaces                  |   |
|--------------------------------|--|-------------------------------------|---|
| Display diagonal *             | 60.5 cm (23.8")  | Headphone connectivity              | 3.5 mm  |
| Display resolution *           | 2560 x 1440 pixels   | Microphone in                       | <i>s</i>  |
| HD type *                      | Quad HD  | Ergonomics                          |   |
| Native aspect ratio *          | 16:9   | •                                   | ,   |
| Display technology *           | LED  | VESA mounting *                     | ✓<br>100 100 mm   |
| Panel type *                   | IPS  | Panel mounting interface            | 100 x 100 mm  |
| Backlight type                 | W-LED  | Cable lock slot *                   | 1   |
| Touchscreen *                  | ×  | Cable lock slot type                | Kensington  |
| Display brightness (typical)   | 250 cd/m <sup>2</sup>  | Height adjustment *                 | 1   |
| Response time *                | 4 ms   | Adjustable height (max)             | 15 cm   |
| Display surface                | Matt   | Pivot                               | 1   |
| Anti-glare screen              | ✓  | Pivot angle                         | 0 - 180°  |
| Screen shape *                 | Flat   | Swivel angle range                  | -180 - 180°   |
| Supported graphics resolutions | 2560 x 1440  | Tilt adjustment                     | 1   |
| Supported video modes          | 1440p  | Tilt angle range                    | -5 - 35°  |
| Contrast ratio (typical) *     | 1000:1   | On Screen Display (OSD)             | 1   |
| Contrast ratio (dynamic)       | 5000000:1  |                                     | Simplified Chinese, Traditional   |
| Maximum refresh rate *         | 75 Hz  |                                     | Chinese, Croatian, Czech, German,                                       |
| Viewing angle, horizontal      | 178°   | On Screen Display (OSD) languages   | Dutch, English, Spanish, Finnish,<br>French, Italian, Japanese, Korean, |
| Viewing angle, vertical        | 178°   |                                     | Polish, Portuguese, Russian,  |
| Display number of colours *    | 16.7 million colours   |                                     | Swedish, Turkish, Ukrainian   |
| Pixel pitch                    | 0.2058 x 0.2058 mm   | Number of OSD languages             | 16  |
| Pixel density                  | 123 ppi  | Power                               |   |
| Horizontal scan range          | 30 - 114 kHz   | Energy efficiency class (SDR) *     | E   |
| Viewable size, horizontal      | 52.7 cm  | Energy consumption (SDR) per 1000   | 18 kWh  |
| Viewable size, vertical        | 29.6 cm  | hours *                             | TO KWII   |
| Digital horizontal frequency   | 30 - 114 kHz   | Power consumption (typical) *       | 24 W  |
| Display diagonal (metric)      | 60.452 cm  | Power consumption (standby) $^{st}$ | 0.3 W   |
| Surface hardness               | 3H   | Power consumption (off)             | 0.3 W   |
| Colour depth                   | 8 bit  | AC input voltage                    | 100 - 240 V   |
| Colour gamut standard          | sRGB   | AC input frequency                  | 50 - 60 Hz  |
| sRGB coverage (typical)        | 116%   | Energy efficiency scale             | A to G  |
| NTSC coverage (typical)        | 80%  | European Product Registry for       | 405262  |
| Adobe RGB coverage             |  | Energy Labelling (EPREL) code       |   |
| Display scanning frequency     | VGA/HDMI 1.4/DP 1.2: 30 - 114 KHz<br>(H), VGA/HDMI 1.4/DP 1.2: 48 - 75<br>Hz (V) | External power adapter              | ×   |

| Performance   |                         | Weight & dimensions  |  |
|---|-------------------------|--|--|
| NVIDIA G-SYNC *<br>AMD FreeSync *<br>AMD FreeSync refresh rate range<br>Fast charging<br>Flicker-free technology<br>Low Blue Light technology | ×<br>48 - 75 Hz<br>✓    | Width (with stand)<br>Depth (with stand)<br>Height (with stand)<br>Weight (with stand)<br>Width (without stand)<br>Depth (without stand)<br>Height (without stand) | 540.2 mm<br>200.1 mm<br>513 mm<br>5.14 kg<br>540.2 mm<br>50.7 mm<br>326.4 mm |
| Multimedia  |                         | Packaging data   |  |
| Number of speakers<br>RMS rated power<br>Built-in speaker(s) *<br>Built-in microphone<br>Built-in camera *<br>Design                          | 2<br>2 W<br>X           | Package width<br>Package depth<br>Package height<br>Package weight<br>Package type<br>DVI cable length<br>VGA cable length   | 610 mm<br>160 mm<br>525 mm<br>6.86 kg<br>Box<br>1.8 m<br>1.8 m               |
| Market positioning *  | Business                | Packaging content  |  |
| Product colour *  | Black                   | Stand included   | ✓  |
| Frameless design<br>Front bezel colour  | ✓<br>Black              |  | •<br>Audio (3.5mm), DVI, DisplayPort,  |
| Detachable stand  |                         | Cables included  | HDMI, VGA  |
| Feet colour   | Black                   | Audio cable length   | 1.8 m  |
| Ports & interfaces  |                         | DisplayPort cable length   | 1.8 m  |
|   |                         | HDMI cable length<br>Power cable length  | 1.8 m<br>1.8 m   |
| Built-in USB hub *<br>USB hub version   | ✓ 3.2 Gen 1 (3.1 Gen 1) | Sustainability   | 1.0 m  |
| USB Type-A downstream ports<br>quantity   | 4                       | Sustainability certificates<br>Doesn't contain   | EPEAT Silver<br>PVC/BFR  |
| VGA (D-Sub) ports quantity  | 1                       | Other features   |  |
| DVI port×HDMI *✓HDMI ports quantity1HDMI version1.4DisplayPorts quantity1DisplayPort version1.2Audio input✓                                   | 1<br>1.4<br>1.2         | Compatibility<br>Exterior finish type<br>Recyclable packaging material<br>Heavy metals free<br>Light effects<br>Certification                                      | VESA-P2<br>Textured<br>100%<br>Hg (mercury)<br>X<br>True                     |
| Headphone out *   | ✓                       | Recycling data   |  |
|   |                         | Post-consumer recycled plastic   | 85%  |
|   |                         | Logistics data   |  |

Harmonized System (HS) code 85285210



4038986147316

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.