

Philips Evnia 32M2C3500L/00 Monitor PC 80 cm (31.5") 2560 x 1440 Pixel Quad HD LCD Nero

Marchio : Philips Famiglia del prodotto: Evnia Codice prodotto: 32M2C3500L/00

Nome del prodotto : 32M2C3500L/00

Curved Fast VA Gaming monitor 32M2C3500L Monitor per il gioco Quad HD

Philips Evnia 32M2C3500L/00 Monitor PC 80 cm (31.5") 2560 x 1440 Pixel Quad HD LCD Nero:

Questo velocissimo monitor VA consente di giocare con precisione e rapidità a una frequenza di 180 Hz. Inoltre, grazie alle immagini nitide di qualità HDR, alla cornice curva e alla garanzia di una risoluzione Quad HD, offre un'eccellente esperienza di gioco a 360 gradi. Philips Evnia 32M2C3500L/00. Dimensioni diagonale schermo: 80 cm (31.5"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: Quad HD, Tecnologia display: LCD, Tempo di risposta: 0,5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Montaggio standard VESA. Colore del prodotto: Nero



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	VESA mounting *	✓
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Quad HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Tilt adjustment	✓
Panel type *	Fast VA	Tilt angle range	-5 - 20°
LED backlight	✓	On Screen Display (OSD)	✓
Backlight type	W-LED	On Screen Display (OSD) languages	German, Hungarian, Dutch, English, Spanish, Italian, Swedish, Japanese, Polish, Portuguese, Turkish, Simplified Chinese, Finnish, Korean, Ukrainian, Traditional Chinese, French, Russian, Greek, Czech
Touchscreen *	✗		
Display brightness (typical)	300 cd/m²		
Response time *	0.5 ms	Number of OSD languages	21
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Curved	LED indicators	Operation, Stand-by
Screen curvature rating	1500R	Power	
Contrast ratio (typical) *	3500:1	Energy efficiency class (SDR) *	F
Dynamic contrast ratio marketing name	Mega Infinity DCR	Energy efficiency class (HDR) *	G
Maximum refresh rate *	180 Hz	Energy consumption (SDR) per 1000 hours *	31 kWh
Viewing angle, horizontal	178°	Energy consumption (HDR) per 1000 hours *	62 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	33.8 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Pixel pitch	0.2724 x 0.2724 mm	Power consumption (off)	0.3 W
Pixel density	93.24 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 270 kHz	AC input frequency	50/60 Hz
Vertical scan range	48 - 180 Hz	Power supply type	Internal
Viewable size, horizontal	69.7 cm	Energy efficiency scale	A to G
Viewable size, vertical	39.2 cm		
Display diagonal (metric)	80 cm		
High Dynamic Range (HDR) supported	✓		

Display		Operational conditions	
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Operating temperature (T-T)	0 - 40 °C
DDC/CI	✓	Storage temperature (T-T)	-20 - 60 °C
Haze rate	25%	Operating relative humidity (H-H)	20 - 80%
Surface hardness	3H	Operating altitude	0 - 3658 m
sRGB coverage (typical)	120%	Non-operating altitude	0 - 12192 m
NTSC coverage (typical)	106%	Weight & dimensions	
Performance		Width (with stand)	709 mm
Component video sync	Separate sync	Depth (with stand)	250 mm
Flicker-free technology	✓	Height (with stand)	519 mm
Low Blue Light technology	✓	Weight (with stand)	6.85 kg
Design		Width (without stand)	709 mm
Market positioning *	Gaming	Depth (without stand)	96 mm
Product colour *	Black	Height (without stand)	462 mm
Colour name	Charcoal	Weight (without stand)	6.02 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✗	Package width	780 mm
HDMI *	✓	Package depth	188 mm
HDMI ports quantity	2	Package height	520 mm
HDMI version	2.0	Package weight	9.03 kg
DisplayPorts quantity	2	Packaging content	
DisplayPort version	1.4	Stand included	✓
Headphone out *	✓	Cables included	DisplayPort, AC, HDMI
Headphone outputs	1	Manual	✓
HDCP	✓	Sustainability	
HDCP version	1.4/2.2	Doesn't contain	PVC/BFR, Mercury
		Other features	
		Low input lag	✓
		Compliance certificates	EAC, RoHS, Federal Communications Commission (FCC), CB, CE, TÜV mark, UKCA



8721038001532

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-MAR-2025. Prints or copies of Information are only valid on the printed Publication date