

Philips Serie 1000 24E1N1200A/00 LED display 60,5 cm (23.8")
1920 x 1080 Pixel Full HD LCD Nero

Marchio : Philips

Famiglia del prodotto: Serie 1000

Codice prodotto: 24E1N1200A/00

Nome del prodotto : 24E1N1200A/00

Monitor 24E1N1200A Monitor LCD Full HD

Philips Serie 1000 24E1N1200A/00 LED display 60,5 cm (23.8") 1920 x 1080 Pixel Full HD LCD Nero:

La massima produttività in Full HD. Questo monitor è dotato di tutti gli elementi essenziali per un ambiente di lavoro ottimale, come la modalità LowBlue per proteggere gli occhi, la tecnologia LED IPS per immagini in alta qualità e un MPRT di 1 ms per una nitidezza impareggiabile. Philips Serie 1000 24E1N1200A/00. Dimensioni diagonale schermo: 60,5 cm (23.8"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LCD, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Montaggio standard VESA. Colore del prodotto: Nero



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	HDCP version	1.4
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable lock slot *	✓
Panel type *	IPS	Cable lock slot type	Kensington
LED backlight	✓	Height adjustment *	✗
Backlight type	W-LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 20°
Display brightness (typical)	300 cd/m²	On Screen Display (OSD)	✓
Response time *	4 ms	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Response time measurement type	GTG (Gray to Gray)		
Response time (MPRT)	1 ms		
Anti-glare screen	✓	Number of OSD languages	21
Screen shape *	Flat	Plug and Play	✓
Contrast ratio (typical) *	1500:1	LED indicators	Operation, Stand-by
Dynamic contrast ratio marketing name	Mega Infinity DCR	Power	
Maximum refresh rate *	120 Hz	Energy efficiency class (SDR) *	E
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	Not available
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	17 kWh
Display number of colours *	16.7 million colours	Power consumption (typical) *	16.3 W
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (standby) *	0.5 W
Pixel density	92.56 ppi	Power consumption (off)	0.3 W
Horizontal scan range	30 - 85 kHz	AC input voltage	100 - 240 V
Vertical scan range	48 - 75 Hz	AC input frequency	50/60 Hz
Viewable size, horizontal	52.7 cm	Power supply type	Internal
Viewable size, vertical	29.6 cm	Energy efficiency scale	A to G
Digital horizontal frequency	30 - 115 kHz		
Digital vertical frequency	48 - 100 Hz		
Display diagonal (metric)	60.5 cm		

Display		Operational conditions	
DDC/CI	✓	Operating temperature (T-T)	0 - 40 °C
Haze rate	25%	Storage temperature (T-T)	-20 - 60 °C
Surface hardness	3H	Operating relative humidity (H-H)	20 - 80%
Colour gamut standard	DCI-P3	Operating altitude	0 - 3658 m
Colour gamut	79.98%	Non-operating altitude	3658 - 12192 m
sRGB coverage (typical)	105.92%	Weight & dimensions	
NTSC coverage (typical)	93.35%	Width (with stand)	542 mm
Adobe RGB coverage	91.75%	Depth (with stand)	180 mm
Display sRGB	✓	Height (with stand)	417 mm
Performance		Weight (with stand)	2.94 kg
NVIDIA G-SYNC *	✗	Width (without stand)	542 mm
AMD FreeSync *	✗	Depth (without stand)	45 mm
Component video sync	Separate sync	Height (without stand)	316 mm
Flicker-free technology	✓	Weight (without stand)	2.59 kg
Low Blue Light technology	✓	Packaging data	
Multimedia		Package width	610 mm
RMS rated power	2 W	Package depth	124 mm
Built-in speaker(s) *	✓	Package height	370 mm
Built-in camera *	✗	Package weight	4.68 kg
Design		Packaging content	
Market positioning *	Home	Cables included	AC, HDMI
Product colour *	Black	Sustainability	
Ports & interfaces		Doesn't contain	Mercury
Built-in USB hub *	✗	Other features	
VGA (D-Sub) ports quantity	1	Exterior finish type	Textured
HDMI *	✓	Picture enhancement	SmartImage
HDMI ports quantity	1	Recyclable packaging material	100%
HDMI version	1.4	Regulatory Approvals	CB, CE mark, TUV/ISO9241-307, TUV-BAUART, EAC, EAEU RoHS, MEPS, PSB, PSE, BSMI, VCCI, UKCA, EMF, FCC, ICES-003
DisplayPorts quantity	1		
DisplayPort version	1.2		
Audio input	✓	Adaptive synchronisation	✓
Audio output	✓	EasyRead mode	✓
HDCP	✓	LowBlue mode	✓
		Compliance certificates	RoHS
		Mean time between failures (MTBF)	50000 h



8721038000436

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-APR-2025. Prints or copies of Information are only valid on the printed Publication date